A Survey on Algorithms on Animal Detection

Monika Tanwar Student (M. Tech), CSE, Govt. Engineering College, Bikaner Supervisor Submitted by Dr. Narpat Singh Shekhawat Assistance Professor (CSE) Govt. Engineering College, Bikaner) Co-supervisor Dr. Subhash Panwar Assistance Professor (IT, Govt. Engineering College, Bikaner)

Abstract: Animal attack on human is a very serious issue in urban areas near forests. Animal detection plays an important role in day to day life due to its impact on the human life directly or indirectly. In the area like an airport where the presence of any kind of animal is strictly restricted, animal detection tool can play an important role in such areas. Presence of wild animal near to the field or residential area, can be make harm to the human or field crops, here also animal detection or warning system can have important role for safety purpose. Application of this detection system in forests can help in counting of animal and safety of wild animal and human. Animal and vehicle collision is also a very important aspect in development in this direction, such problem serious for the life of human, wildlife deaths and economic losses. To address these serious challenges, experimental area can be equipped with this smart animal detection system (ADS) able to recognize dangerous animals (e.g., lion, elk, moose and cow), which passed from the scanning area and warn the people about the imminent accident. Image processing tools can help to develop the indication or warning system.

Keywords:- Animal Detection using Digital Image Processing, Animal Detection using Matlab, Animal Detection Algorithms, Animal Detection Code

I. INTRODUCTION

In image processing an input image is contributed for data and a number of mathematical processes are implemented on the data and the result of these operations will be desired results in the form of image or numeric tables or graphs [1].

These three basic steps are included in the Image processing:

- Image accretion tools can be used for constructing the Image.
- Considering and employing the image.
- An altered image can be generated as an output or reports/data that is based on image analysis.

1.1.1 Image Types

There are various type of images, few of them are used in this work:

i) Binary Image,
ii) gray-scale Image,
iii) Color Image,
iii) N Itime (all Image)

iv) Multispectral Image.



Historically, certain computer programs were written using only two digits rather than four to define the applicable year. Accordingly, the company's software may recognize a date using "00" as 1900 rather than the year 2000.

Figure 1.1: Binary type of image. (a) Object marking. (b) Text page used in OCR applications





Figure 1.2: Examples of gray-scale images




Figure 1.3: A typical RGB color image representation

1.2 Process to Detect Animal from an image

Image acquisition is the initial stage of the vision system. First, data for input is selected from the test system, various image processing method can be applied to the image to perform the different vision tasks required today.



Fig1.5: Foreground image



Figure 1.6: Background Image

II. LITERATURE SURVEY

This survey included various techniques for animal detection. Although the systems are known for decades, there are many active research works on the topic.

2.1 EXISTING DIGITAL IMAGE PROCESSING

Digital image processing is gaining large interest because of it is useful for real time application in real word. Many digital operations are performed with the digital system developed by the Digital Image Processing.

An image can be represented in this form like 2D signals or combination of pixels. It is defined by the mathematical function image(x, y) where x and y are the main two co-ordinates. The value of image(x,y) at any point is describe the numerical pixel value of any point in picture.

One of the primary employments of cutting edge pictures was in the day by day paper industry, when pictures were first sent by submarine connection among London and New York. Introduction of the Bartlane connect picture transmission structure in the mid 1920s diminished the time required to transport a photograph over the Atlantic from more than seven days to under three hours. Specific printing gear coded pictures for connection transmission and a while later imitated them at the not as much as attractive end. Figure 1.1 was transmitted thusly and imitated on a communicate printer fitted with typefaces emulating a halftone plan.

The early Bartlane frameworks were equipped for coding images in five particular levels of dark. This ability was expanded to 15 levels in 1929. Figure 2.3 is ordinary of the sort of images that could be acquired utilizing the 15-tone gear. Amid this period, presentation of a framework for building up a film plate by means of light bars that were regulated by the coded image tape enhanced the proliferation procedure extensively.

Ref.	Method	Database Require	Accuracy output	Training Time (sec)*	Computation time (sec)
[45-46]	Basic methods, mean and variance	-	Low	-	≈ 1
[47-49]	Fuzzy based methods	Low	Medium	≈ 5	≈ 1

Table 2.1: Different method for background subtraction

International Journal on Future Revolution in Computer Science & Communication Engineering
Volume: 3 Issue: 6

[50-51]	Statistical methods using one gaussian	High	High	≈ 20	≈ 1
[52]	Statistical methods using color and texture features	High	Low	≈ 80	≈ 30
[53-54]	Neural and neuro-fuzzy methods	High	High	≈ 60	≈ 1

'*' depends on the data base for training

Problem Statement

Animals can be harmful in residential and it increase the risk to the wild life and wild animals are being accidentally increasing due to the routine farming operation during the farming time. So it is necessary to work and design a system in which animal can detect animal. There are many system are already designed. This approach tries to find out an automatic animal detection system for increasing the accuracy. There is a scope of the designing the system with cost effective and fast working because this type of application will be used by the ordinary person.

III. CONCLUSION

Animal detection plays an important role in real life applications problem handling. These animal detection system and warning system have used to detect or indicate particular animal for an objective. For our problem, we have used this system for protection purpose.

In this work, background subtraction method is used for detecting the animal. For implementation of this proposed method we have used regionprops algorithm. This particular technique is used to separate the object from the image. Whereas, object shaping is identified using blob method. This method is general and fastest technique in machine vision used for identifying the image region.

References

- [1] http://www.engineersgarage.com/articles/imageprocessing-tutorial-applications.
- [2] http://realitypremedia.com/blog/what-are-the-goals-and-types-of-image-processing/.
- [3] Rafael C. Gonzalez; Richard E. Woods (2008). Digital Image Processing. Prentice Hall. pp. 1–3. ISBN 978-0-13-168728-8.
- [4] http://www.tutorialspoint.com/dip/Applications_and_Usage .htm.
- [5] http://fourier.eng.hmc.edu/e161/lectures/e161ch1.pdf(Imag e Processing and Related Fields).
- [6] http://www.uptu.ac.in/pdf/sub_ecs_702_30sep14.pdf(Notes Subject: Digital Image Processing Subject Code:

Ecs-70) Asst. Prof. Neeti Chadha CSE Department, AKGEC Gzb page no. 5, 6.

- [7] Anil K. Jain, A handbook of "Fundamentals of Digital Image Processing", 1989.
- [8] en.wikipedia.org/wiki/Image_processing.
- [9] Rafael C. Gonzalez and Richard E. Woods, A text book on "Digital Image Processing", Publications of Pearson, Second Edition, 2002.
- [10] Dr. Naif Alajlan, "Digital Image Processing".
- [11] http://bookboon.com/en/digital-image-processing-part-oneebook.
- [12] http://www.uptu.ac.in/pdf/sub_ecs_702_30sep14.pdf
 (Notes Subject: Digital Image Processing Subject Code: Ecs-70) Asst. Prof. Neeti Chadha CSE Department, AKGEC Gzb page no. 5, 6.
- [13] Sajid Shaikh, Mayur Jadhav, Naveen Nehe, Prof. Usha Verma, "Automatic Animal Detection And Warning System", IJAFRC, Volume 2, Special Issue (NCRTIT 2015), January 2015.
- M.S. Zahrani, Khaled Ragab and Asrar Ul Haque:Design of GPS based system to avoid camelvehicle collisions: A Review, Asian Journal of Applied Sciences 4 (4): 362 377, 2011.
- [15] V. Mitra, C. Jiu Wang, and G. Edwards,: Neural network for LIDAR detection of _sh,in Neural Networks Proceedings of the International Joint Conference, vol. 2, pp. 1001-1006, 2003
- [16] D. Tahmoush and J. Silvious,: Modeled gait variations in human micro-Doppler, 2010 11th International Radar Symposium (IRS),pp. 1-4, 2010.
- [17] S. H. Kim, D. H. Kim, and H. D. Park, Animal situation tracking service using RFID, GPS, and sensors, 2010 Second International Conference on Computer and Network Technology (ICCNT), pp. 153-156, 2010.
- [18] J. S. L. Ting, S. K. Kwok, W. B. Lee, H. C. A. Tsang, and B. C. F. Cheung,: A dynamic RFID-based mobile monitoring system in animal care management over a wireless network, Wireless Communications Networking and Mobile Computing, vol. 2, pp. 2085-2088, 2007.
- [19] M. F. Thorpe, A. Delorme, and S. T. C. Marlot, A limit to the speed processing in ultra-rapid visual categorization of novel naturalscene, Cognitive Neurocience, pp. 171-180, 2003.